CANYON RIDGE®

Clopay°


America's Favorite Garage Doors®

garage doors

CARRIAGE HOUSE • CHEVRON • LOUVER • MODERN • ELEMENTS









CANYON RIDGE® Carriage House

5-LAYER CONSTRUCTION

Canyon Ridge® Carriage House 5-Layer garage doors capture the charm of old-world carriage style doors in a durable, moisture-resistant construction. Composite overlays give you a low-maintenance wood alternative that looks and feels like the real thing, and the peace of mind that comes from having a superior insulated steel core construction. Choose from three species: Clear Cypress, Pecky Cypress or Mahogany, and a variety of paint and stain colors to create a custom look. The result is a stunning carriage house door you will enjoy for years to come.



- COMPOSITE OVERLAY
- COMPOSITE CLADDING
- STEEL
- " INTELLICORE® **POLYURETHANE** INSULATION
- STEEL





- 5-layer composite faux-wood doors with Intellicore® polyurethane insulation. 20.4 R-value.
- Insulated glass styles include clear, frosted, seeded, rain and obscure. See page 16 for details.
- Removable clip-in window grilles for easy cleaning.
- Spade lift handles and step plates included. See page 17 for more options.

Calculated door section R-value is in accordance with DASMA TDS-163. Canyon Ridge $^{\otimes}$ doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

DOOR DESIGNS



SERIES 1















Design 31

Design 32

Design 33

Design 34

SERIES 2







Design 01 does not have overlays.







Design 21

Design 22 Design 23

Design 35

Design 36


Design 37

Design 38

MATERIAL DESIGN OPTIONS

CLADDING









Pecky Cypress (P)

COLORS




Finish



Finish



Walnut Finish



*Bronze, Charcoal, Black and White Finish available only on Mahogany cladding and overlays. Two-tone doors are available.

OVERLAY



Clear Cypress (C)



Composite cladding and overlay material options may be mixed and matched.

Slate Finish

Black

Finish





White

Finish*

Bronze



Charcoal


Primed

(No Finish)

To see all options go to dis.clopay.com Due to the printing process, colors may vary. Order free color samples at clopaydoor.com/

requestcolorsamples.

WINDOWS/TOP SECTIONS



Impact windows available on the following widths only: 8'0", 9'0", 10'0", 12'2", 16'2", 18'2". Additional designs, windows and top sections available.

SQ24

ARCH4

Windows not available on Designs 31, 32, 33, 34, 35, 36, 37 and 38.Standard windows available on the following widths only: 6'2", 8'0", 9'0", 10'0", 10'2", 12'0", 12'2", 13'6", 15'0", 15'2", 15'6", 15'8", 16'0", 16'2", 18'0", 18'2", 20'0", 20'2".



CANYON RIDGE® Chevron

Love the Chevron trend? This eye-catching geometric pattern has been a favorite in textiles and flooring and is now available in a low-maintenance composite material that looks and feels like real wood. Choose from four distinct patterns to bring timeless appeal to your home. These moisture-resistant doors won't rot, warp or crack and can be painted or stained for jaw-dropping good looks that last.



- COMPOSITE OVERLAY
- COMPOSITE CLADDING
- STEEL
- " INTELLICORE® **POLYURETHANE** INSULATION
- STEEL





- 5-layer chevron pattern composite faux-wood doors with Intellicore® polyurethane insulation. 20.4 R-value.
- Insulated glass styles include clear, frosted, seeded, rain and obscure. See page 16 for details.
- Removable clip-in window grilles for easy cleaning.
- Spade lift handles and step plates included. See page 17 for more options.

Calculated door section R-value is in accordance with DASMA TDS-163. Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

DOOR DESIGNS

SERIES 1



Design 11V







SERIES 3









Design 36V



Design 37V

Design 12V Design 13V Design 31V

CLADDING DESIGN OPTIONS









MATERIAL DESIGN OPTIONS

CLADDING





Mahogany (M)



Pecky Cypress (P)

OVERLAY





and overlay material options may be mixed and matched.

COLORS



Finish

Slate

Finish

Black

Finish*



Finish

Bronze

Finish*

White

Finish*








Charcoal

Finish*

Primed

(No Finish)



Doors can be ordered primed for custom field painting or staining. . Door stain color may vary due to finishing process.

dis.clopay.com Due to the printing process, colors may vary. Order free color samples at clopaydoor.com/


requestcolorsamples.





Composite cladding

WINDOWS/TOP SECTIONS





ARCH4

Windows not available on Designs 31, 32, 33, 36, 37. Standard windows available on the following widths only: 6'2", 8'0", 9'0", 10'0", 10'2", 12'0", 12'2", 13'6", 15'0", 15'2", 15'6", 15'8", 16'0", 16'2", 18'0", 18'2", 20'0", 20'2".



CANYON RIDGE® Louver

If you use more than one adjective to describe your home's style, we have the perfect transitional garage door for you. Versatile and unique, plantation style Canyon Ridge® Louver doors are a perfect complement to coastal cottages and colonial homes. They can also be a standout piece on traditional exteriors or modern farmhouses. Whatever your style, these doors add "wow" factor to your home. As with all Canyon Ridge doors, they are constructed with a durable, insulated steel core topped with horizontal faux-wood composite "slats". The result is a low-maintenance door with dimension and flair.



- COMPOSITE OVERLAY
- COMPOSITE CLADDING
- STEEL
- " INTELLICORE® **POLYURETHANE** INSULATION
- STEEL






- 4 or 5-layer faux-wood louver doors with Intellicore® polyurethane insulation. R-values from 18.4 to 20.4.
- Insulated glass styles include clear, frosted, seeded, rain and obscure. See page 16 for details.
- Removable clip-in window grilles for easy cleaning.
- Spade lift handles and step plates included. See page 17 for more options.

Calculated door section R-value is in accordance with DASMA TDS-163. Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

DOOR DESIGNS

















Design 46

Design 47

SERIES 5



Design 51









Design 55

MATERIAL DESIGN OPTIONS

CLADDING/STEEL BASE







Ultra-Grain® Finish Clear Cypress or Solid Color Steel (N)







Mahogany (M)

Note: Composite cladding and overlay material options may be mixed and matched.

COLORS





Slate

Finish

Black

Finish[†]



Finish*

Bronze

Finish[†]

White

Finish[†]

Dark





Finish



Charcoal



Finish[†]





Primed (No Finish)

- * Dark Finish not available as a base steel color on Designs 41, 42, 43, 44, 45, 46 and 47. [†] Bronze, Charcoal, Black and
- White Finish available only on Mahogany cladding and overlays. Doors can be ordered primed for custom field painting. Note: Primed solid steel base is brown. Overlay stain color may vary due to finishing process.

Two-tone doors are available. To see all options go to: dis.clopay.com. Steel surfaces have woodgrain texture. Due to the printing process, colors may vary. Order free color samples at clopaydoor.com/ requestcolorsamples.

WINDOWS/TOP SECTIONS





Windows available only on Louver Design 52. Standard windows available on the following widths only: 6'2", 8'0", 9'0", 10'0", 10'2", 12'0", 12'2", 13'6", 15'0", 15'2", 15'6", 15'8", 16'0", 16'2", 18'0", 18'2", 20'0", 20'2". Impact windows available on the following widths only: 8'0", 9'0", 10'0", 12'2", 16'2", 18'2".



CANYON RIDGE® Carriage House

4-LAYER CONSTRUCTION

Another beautiful, low-maintenance alternative to real wood is the Canyon Ridge® Carriage House 4-Layer faux-wood garage door. Similar in style and construction to its 5-Layer counterpart, it also has an energy-efficient Intellicore® polyurethane insulated steel core topped with Clear Cypress composite overlays to create a carriage house design. The 4-Layer door has fully visible steel panels that can be finished in Ultra-Grain® for a stained wood-look or painted a solid color to match your home.




- COMPOSITE OVERLAY 1
- STEEL WITH ULTRA-GRAIN® FINISH (SHOWN) OR SOLÌD COLOR STEEL
- 2" INTELLICORE® POLYURETHANE INSULATION
- STEEL

- 4-layer, steel and composite overlay doors with Intellicore® polyurethane insulation. 18.4 R-value.
- Insulated glass options include clear, frosted, seeded, rain and obscure. See page 16 for details.
- Removable clip-in window grilles for easy cleaning.
- Spade lift handles and step plates included. See page 17 for more options.

Calculated door section R-value is in accordance with DASMA TDS-163. Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

DOOR DESIGNS



MATERIAL DESIGN OPTIONS



Ultra-Grain® Finish Clear Cypress or Solid Color Steel (N)

STEEL BASE — OVERLAY



Clear Cypress (C)



Mahogany (M)

Composite cladding is not present on Carriage House 4-Layer doors.

COLORS





Ultra-Grain® Cypress Bronze Medium Finish Finish*







Primed (No Finish)

WARRANTIES







Ultra-Grain® Cypress Charcoal Walnut Finish Finish'








Black Slate Finish Finish*

Doors can be ordered primed for custom field painting. Note: Primed solid steel base is brown. Overlay stain color may vary due to finishing process.

*Bronze, Charcoal, Black and White Finish available only on Mahogany overlays. Two-tone doors are available. To see all options go to: dis.clopay.com. Steel surfaces have woodgrain texture. Due to the printing process, colors may vary. Order free color samples at clopaydoor.com/requestcolorsamples.

WINDOWS/TOP SECTIONS



Impact windows available on the following widths only: 8'0", 9'0", 10'0", 12'2", 16'2", 18'2". Additional designs, windows and top sections available.







Windows not available on Designs 31, 32, 33, 34, 35, 36, 37 and 38. Standard windows available on the following widths only: 6'2", 8'0", 9'0", 10'0", 10'2", 12'0", 12'2", 13'6", 15'0", 15'2", 15'6", 15'8", 16'0", 16'2", 18'0", 18'2", 20'0", 20'2".



CANYON RIDGE® Modern

Statement-making and sophisticated, our Canyon Ridge® Modern faux-wood garage doors combine realistic wood textures with key elements of contemporary architecture: clean, horizontal lines with mid-century appeal, sleek windows and metallic accents. The doors are constructed in a durable, low-maintenance composite material that resists rot and weathering. An energy-efficient, polyurethane foam insulated steel core provides year-round comfort. Choose from three designs in Clear Cypress or Mahogany faux-wood cladding that can be painted or stained.



- COMPOSITE OVERLAY
- STEEL
- 2" INTELLICORE® POLYURETHANE INSULATION
- 4 STEEL

DOOR DESIGNS






3" Plank



Plank Design

6" Plank





Metal (Aluminum) Inlay Design

Full-View Design

STYLE AND CONSTRUCTION

- 4-layer composite faux-wood doors with Intellicore® polyurethane insulation.
- Plank design: 20.4 R-value.
- Metal Inlay design: 18.4 R-value.
- Full-View design: 6.3 R-value.
- Multiple window configurations available for Plank doors.
- Insulated glass styles include clear, frosted, rain and obscure. See page 16 for details.

Calculated door section R-value is in accordance with DASMA TDS-163. Weighted average calculations using insulated glass windows in all sections, all panels. Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

WINDOWS

Available only on Plank door designs.





Both window sizes are available on single car and double car doors.

PLANK WINDOW CONFIGURATIONS





14" × 6" Windows down right side

35" × 6" Windows in all panel locations

Note: Configurations are illustrated from outside garage. When ordering, window locations are identified from inside garage looking out. Please keep in mind to avoid ordering windows in wrong location.

WARRANTIES





MATERIAL DESIGN OPTIONS

PLANK CLADDING



Mahogany (M)

METAL (ALUMINUM) INLAY CLADDING

Clear Cypress (C)



Mahogany (M)

FULL-VIEW OVERLAY







Mahogany (M)

COLORS



Medium Finish



Dark Finish





Slate Finish



Bronze Finish*







White Finish*

Primed (No Finish)

Doors can be ordered primed for custom field painting or staining. Door stain color may vary due to finishing process.

*Bronze, Charcoal, Black and White Finish available only on Mahogany cladding and overlays.

Due to the printing process, colors may vary. Order free color samples at clopaydoor.com/requestcolorsamples



CANYON RIDGE® Elements

The introductory model in our top-selling line of faux-wood carriage house doors, Canyon Ridge® Elements pairs moisture-resistant composite overlays featuring clean, square "Shaker" edges and durable, insulated steel to give you the look of painted wood without the upkeep. Choose from 13 designs in seven finishes including dramatic dark colors like Charcoal, Black and Bronze.





- COMPOSITE OVERLAY
- STEEL
- BONDED POLYSTYRENE INSULATION
- 4 STEEL


- 4-layer, steel and composite overlay doors with 1-3/8" bonded polystyrene insulation. 6.5 R-value.
- Glass options include clear, frosted, seeded, rain and obscure. See page 16 for details.
- Removable clip-in window grilles for easy cleaning.
- Spade lift handles and step plates included. See page 17 for more options.


Calculated door section R-value is in accordance with DASMA TDS-163. Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

DOOR DESIGNS









MATERIAL DETAIL



Woodgrain Classic surface texture on steel base and composite overlay.

COLORS




WARRANTIES








WINDOWS/TOP SECTIONS




SPECIALTY GLASS





DECORATIVE HARDWARE

Attractive black powder coated handles and step plates are provided standard to further enhance the Canyon Ridge® Design. Optional decorative hardware - including handles, operable L-keylocks and strap hinges, is also available.



(Modern)



Ring Door

Knocker

Decorative Handles

with Keyhole

CUSTOM PAINT PROGRAM

and Dark Bronze (Anodized).

Color Blast® offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

Bronze (Painted), Bronze (Anodized), Black (Anodized)









DESIGNING YOUR DOOR

Use the information below to select the appropriate model number.

CANYON RIDGE® CARRIAGE HOUSE 5-LAYER

Canyon Ridge Door Thickness

Cladding Material

Overlay Material

Window Design/Top Section

CANYON RIDGE® CARRIAGE HOUSE 4-LAYER

Canvon Ridge Door Thickness

(Does Not

Overlay Material

Window Design/Ton Section

CANYON RIDGE® ELEMENTS

Canvon Ridge Door Thickness

Design

Overlay Material

Window Design/Top Section

CANYON RIDGE® CHEVRON

Canyon Ridge Door Thickness

Window Design/ Ton Section

CANYON RIDGE® LOUVER

Canyon Ridge Door

Insulation Thickness

Window Design/Top Section

CANYON RIDGE® MODERN

PLANK DESIGN

Canyon Ridge Door Insulation Thickness

Cladding Material

Design

6

METAL (ALUMINUM) INLAY DESIGN

FULL-VIEW DESIGN

Canyon Ridge Door

Design

ORDERING CODE KEY TERMS:

2 = 2" Polyurethane Insulation

1 = 1-3/8" Polystyrene Insulation

P = Pecky Cypress

M = Mahogany

C = Clear Cypress

RS = Woodgrain Classic

L = Louver Mahogany

N = No Cladding

Visit clopaydoor.com or call 1-800-2CLOPAY (225-6729) for

more information on Clopay, America's Favorite Garage Doors.



Clopay

















DESIGN CONSIDERATIONS

- Two-tone color options available. To view all options, visit: dis.clopay.com.
- Custom designs available. See your Clopay Dealer for more information.
- Attractive beveled edge, clip-in window grilles are removable for easy cleaning.
- Replaceable vinyl bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.
- 10-ball nylon rollers for quiet operation.
- Heavy-duty 14 gauge steel hinges for long-lasting performance.
- Clopay's Safe-T-Bracket® prevents serious injury that could occur if the bottom bracket were removed with the garage door closed and under tension.
- WindCode® built-in door reinforcement available for high wind load applications. Learn more at: www.clopaydoor.com/residential/windcode-residential-information.
- Canyon Ridge® garage doors are not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

FINISHING AND CARE

Proper care and maintenance are imperative for long-term performance and appearance of Canyon Ridge® garage doors. Periodic inspection and maintenance of the composite cladding and overlays are required. Minor expansion and contraction is normal for exterior building materials exposed to direct sunlight and is not considered a defect. Complete finishing and maintenance instructions are provided with the door and are also available from your Clopay Dealer or online at www.clopaydoor.com.

ENVIRONMENTAL ASSURANCE

Clopay doors are compliant with environmental laws and regulations and do not contain HFCs.

- California SB 1013
- New Jersey A-5583/S-3919 Greenhouse Gas Bill
- Washington HB 1112 Hydrofluorocarbon Greenhouse Gas Emissions
- Canadian regulations amending the ozone-depleting substances and halocarbon alternatives regulations
- Product complies with 2015 IECC air infiltration requirement of 0.40 cfm/ft2 or less (IECC, Section C402.5.2)



GARAGE DOOR OPEN CAMERA AND POINT!